

# Safety data sheet

according to 1907/2006/EC, Article 31

Page 1/8 Printing date 05.01.2023 Revision: 05.01.2023 Version number 3 (replaces version 2)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name: DYNAMIC Mirror Finish Premium

- · UFI: XR10-90JY-K002-27UR
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumers

- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- Application of the substance / the mixture Polishing agent/ Burnishing compound
- · 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Dursol-Fabrik Otto Durst GmbH & Co. KG Martinstr. 22 42655 SOLINGEN Germany Tel.: +49 (0)212 - 2718-0 Fax: +49 (0)212 - 208795 www.autosol.de

· Further information obtainable from:

Department Product Safety labor@autosol.de

· 1.4 Emergency telephone number:

+49 (0) 212 - 2718-0 Only available during the following office hours: Mo-Fr; 08:00 -16:00 h (MEZ/MESZ) Languages of the phone service: German & English

# **SECTION 2: Hazards identification**

#### · 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information: Keep out of reach of children.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- **vPvB:** Not applicable.

# **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

 $\cdot$  **Description:** Mixture of substances listed below with nonhazardous additions.



Page 2/8 Printing date 05.01.2023 Revision: 05.01.2023 Version number 3 (replaces version 2)

# Trade name: DYNAMIC Mirror Finish Premium

		(Contd. of page 1	
· Dangerous components:			
EC number: 918-481-9 Reg.nr.: 01-2119457273-39-xxxx		10-<25%	
	aromatics		
	🚸 Asp. Tox. 1, H304, EUH066		
CAS: 8042-47-5	White mineral oil	1-<10%	
EINECS: 232-455-8	🚸 Asp. Tox. 1, H304		
Reg.nr.: 01-2119487078-27-xxxx			
· Regulation (EC) No 648/2004 or	n detergents / Labelling for contents		
aliphatic hydrocarbons		≥15 - <30%	
non-ionic surfactants		<5%	
Sodium Pyrithione, Benzisothiazolinone			
Additional information: Far that	wording of the listed bazard phrases refer to section 16	1	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

#### **SECTION 4: First aid measures**

#### · 4.1 Description of first aid measures

- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### **SECTION 5: Firefighting measures**

- · 5.1 Extinguishing media
- · Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

• For safety reasons unsuitable extinguishing agents: Water with full jet

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information Cool endangered receptacles with water spray.

# **SECTION 6: Accidental release measures**

· 6.1 Personal precautions, protective equipment and emergency procedures Not required.

- $\cdot$  6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 05.01.2023 Revision: 05.01.2023 Version number 3 (replaces version 2)

#### Trade name: DYNAMIC Mirror Finish Premium

• 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

## **SECTION 7: Handling and storage**

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 10
- 7.3 Specific end use(s) No further relevant information available.

### **SECTION 8: Exposure controls/personal protection**

#### · 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2%

#### aromatics

EU HSPA Long-term value: 1200 mg/m<sup>3</sup>

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- The usual precautionary measures are to be adhered to when handling chemicals.

• Respiratory protection: Use suitable respiratory protective device in case of insufficient ventilation.

Hand protection

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

# Natural rubber, NR

Recommended thickness of the material:  $\geq 0.5 \text{ mm}$ 

(Contd. on page 4)

(Contd. of page 2)

Page 3/8

<sup>–</sup> GB —



Printing date 05.01.2023 Revision: 05.01.2023 Version number 3 (replaces version 2)

#### Trade name: DYNAMIC Mirror Finish Premium

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

Eye/face protection Goggles recommended during refilling

### **SECTION 9: Physical and chemical properties**

• 9.1 Information on basic physical and chemical	properties
· General Information	
· Colour:	White
· Odour:	Characteristic
· Odour threshold:	Not determined.
<ul> <li>Melting point/freezing point:</li> </ul>	Undetermined.
<ul> <li>Boiling point or initial boiling point and boiling</li> </ul>	
range	Undetermined.
· Flammability	Not applicable.
• Lower and upper explosion limit	
Lower:	Not determined.
· Upper:	Not determined.
Flash point:	>65 °C
Decomposition temperature:	Not determined.
pH at 20 °C	8.7
· Viscosity:	
Kinematic viscosity at 40 °C	>21 mm²/s
· Dynamic:	Not determined.
Solubility	
· water:	Not miscible or difficult to mix.
Partition coefficient n-octanol/water (log value)	Not determined.
· Vapour pressure:	Not determined.
· Density and/or relative density	
· Density at 20 °C:	1.06 g/cm <sup>3</sup>
· Relative density	Not determined.
· Vapour density	Not determined.
9.2 Other information	
· Appearance:	
· Form:	Fluid
<ul> <li>Important information on protection of health</li> </ul>	
and environment, and on safety.	
<ul> <li>Auto-ignition temperature:</li> </ul>	Product is not selfigniting.
<ul> <li>Explosive properties:</li> </ul>	Product does not present an explosion hazard.
Change in condition	
· Evaporation rate	Not determined.
	(Contd. on page 5)

(Contd. of page 3)

Page 4/8



Page 5/8 Printing date 05.01.2023 Revision: 05.01.2023 Version number 3 (replaces version 2)

Trade name: DYNAMIC Mirror Finish Premium

		(Contd. of page 4
· Information with regard to physical hazard		
classes		
· Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
<ul> <li>Self-reactive substances and mixtures</li> </ul>	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit flamm	nable	
gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- $\cdot$  10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2% aromatics		
Oral	LD50	>5,000 mg/kg (rat)
Dermal	LD50	>5,000 mg/kg (rabbit)
Inhalative	LC50 (4 h)	4,951 mg/l (rat)

(Contd. on page 6)

<sup>-</sup> GB —



Page 6/8

(Contd. of page 5)

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.01.2023 Revision: 05.01.2023 Version number 3 (replaces version 2)

#### Trade name: DYNAMIC Mirror Finish Premium

102-71-6 Triethanolamine		
Oral	LD50	8,000 mg/kg (rat)
Skin corrosion/irritation Based on available data, the classification criteria are not met.		
<ul> <li>Serious eye damage/irritation Based on available data, the classification criteria are not met.</li> </ul>		
<ul> <li>Respiratory or skin sensitisation Based on available data, the classification criteria are not met.</li> </ul>		
• Germ cell mutagenicity Based on available data, the classification criteria are not met.		

• Carcinogenicity Based on available data, the classification criteria are not met.

• **Reproductive toxicity** Based on available data, the classification criteria are not met.

• **STOT-single exposure** Based on available data, the classification criteria are not met.

• **STOT-repeated exposure** Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

• 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

#### · 12.1 Toxicity

• Aquatic toxicity:

Hydrocarbons, C10-C13, n-alkanes, isoalkanes, cyclics, <2%

#### aromatics

EC50 >1,000 mg/l (daphnia)

LC50 (96 h) >1,000 mg/l (Oncorhynchus mykiss)

12.2 Persistence and degradability No further relevant information available.

• **12.3 Bioaccumulative potential** No further relevant information available.

- **12.4 Mobility in soil** No further relevant information available.
- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

• 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

## **SECTION 13: Disposal considerations**

#### · 13.1 Waste treatment methods

· Recommendation Smaller quantities can be disposed of with household waste.

(Contd. on page 7)

– GB —



(Contd. of page 6)

# Safety data sheet according to 1907/2006/EC, Article 31

Page 7/8 Printing date 05.01.2023 Revision: 05.01.2023 Version number 3 (replaces version 2)

#### Trade name: DYNAMIC Mirror Finish Premium

· Uncleaned packaging:

· Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information		
<ul> <li>14.1 UN number or ID number</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void	
<ul> <li>14.2 UN proper shipping name</li> <li>ADR, ADN, IMDG, IATA</li> </ul>	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
<ul> <li>14.4 Packing group</li> <li>ADR, IMDG, IATA</li> </ul>	Void	
· 14.5 Environmental hazards:	Not applicable.	
· 14.6 Special precautions for user	Not applicable.	
<ul> <li>14.7 Maritime transport in bulk according to IM instruments</li> </ul>	O Not applicable.	
· UN "Model Regulation":	Void	

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H304 May be fatal if swallowed and enters airways.

EUH066 Repeated exposure may cause skin dryness or cracking.

**Department issuing SDS:** Dursol-Fabrik Otto Durst GmbH & Co. KG Martinstraße 22 42655 Solingen Germany Abteilung F&E / Produktsicherheit



Page 8/8 Printing date 05.01.2023 Revision: 05.01.2023 Version number 3 (replaces version 2)

#### Trade name: DYNAMIC Mirror Finish Premium

Contact: labor@autosol.de
 Abbreviations and acronyms:
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the
International Corriges of Departure Code by Read)

Asp. Tox. 1: Aspiration hazard – Category 1

\* \* Data compared to the previous version altered.

International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

– GB —

(Contd. of page 7)