

according to 1907/2006/EC, Article 31

Page 1/10 Printing date 23.01.2023 Revision: 23.01.2023 Version number 5 (replaces version 4)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

[·] Trade name: Stain Remover for matte paints

- · UFI: KNY0-V05R-S00U-Y97G
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Sector of Use

SU21 Consumer uses: Private households / general public / consumers

- SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- · Application of the substance / the mixture Cleaning agent/ Cleaner
- 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Dursol-Fabrik Otto Durst GmbH & Co. KG Martinstr. 22 42655 SOLINGEN Germany Tel.: +49 (0)212 - 2718-0 Fax: +49 (0)212 - 208795 www.autosol.de

• Further information obtainable from: Department Product Safety

labor@autosol.de

· 1.4 Emergency telephone number:

Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111 +49 (0) 212 - 2718-0 Only available during the following office hours: Mo-Fr; 08:00 -16:00 h (MEZ/MESZ) Languages of the phone service: German & English

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008



Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

(Contd. on page 2)



(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31

Page 2/10 Printing date 23.01.2023 Revision: 23.01.2023 Version number 5 (replaces version 4)

Trade name: Stain Remover for matte paints

· Hazard pictograms



· Signal word Warning

- · Hazard statements
- H319 Causes serious eye irritation.

Precautionary statements

- P102 Keep out of reach of children.
- P264 Wash thoroughly after handling.
- P280 Wear eye protection / face protection.
- P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P337+P313 If eye irritation persists: Get medical advice/attention.
- Additional information: Keep out of reach of children.
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description: Mixture of substances listed below with nonhazardous additions.

• Dangerous components: CAS: 164462-16-2 Reg.nr.: 01-0000016977-53-XXXX Reaction mass aus (2S)-Alanin, N,N-bis(carboxymethyl)-, Trinatriumsalz und (2R)-Alanin, N,N-bis(carboxymethyl)-, Trinatriumsalz Met. Corr.1, H290 2-Propylheptanol ethoxylate Eye Dam. 1, H318; ① Acute Tox. 4, H302 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 3 % ≤ C <

	Eye Irrit. 2; H319: 3 % ≤ C < 10 %	
CAS: 68603-42-9	Amides, coco, N,N-bis(hydroxyethyl)	0-<10%
EINECS: 271-657-0		
CAS: 68891-38-3	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	1-<10%
Reg.nr.: 01-2119488639-16-xxxx	Eye Dam. 1, H318; () Skin Irrit. 2, H315; Aquatic Chronic 3, H412	
	Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 %	
	Eye Irrit. 2; H319: 5 % ≤ C < 10	
	%	
(Contd. on p		

1-<10%

1-<10%



Safety data sheet according to 1907/2006/EC, Article 31

Page 3/10 Printing date 23.01.2023 Revision: 23.01.2023 Version number 5 (replaces version 4)

Trade name: Stain Remover for matte paints

	(Contd	. of page 2)		
CAS: 3811-73-2	pyridine-2-thiol 1-oxide, sodium salt	≤1%		
EINECS: 223-296-5	 Acute Tox. 3, H311; Acute Tox. 3, H331; STOT RE 1, H372; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317, EUH070 			
· Regulation (EC) No 648/2004 on detergents / Labelling for contents				
non-ionic surfactants, anionic surfactants		<5%		
perfumes, Sodium Pyrithione, Benzisothiazolinone				

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- 4.1 Description of first aid measures
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Rinse with warm water.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:
- Rinse out mouth and then drink plenty of water.
- Seek immediate medical advice.
- 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: Wear self-contained respiratory protective device.
- Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Ensure adequate ventilation
- Particular danger of slipping on leaked/spilled product.
- 6.2 Environmental precautions:
- Dilute with plenty of water.
- Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 4)



according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Revision: 23.01.2023 Version number 5 (replaces version 4)

Trade name: Stain Remover for matte paints

• 6.4 Reference to other sections

(Contd. of page 3)

Page 4/10

No dangerous substances are released. See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

• **7.1 Precautions for safe handling** Store in cool, dry place in tightly closed receptacles. • **Information about fire - and explosion protection:** No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: Store only in the original receptacle.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 12
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

- Avoid contact with the eyes and skin.
- Respiratory protection: Not necessary if room is well-ventilated.
- Hand protection

Preventive skin protection by use of skin-protecting agents is recommended.



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. on page 5)



according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Revision: 23.01.2023 Version number 5 (replaces version 4)

Trade name: Stain Remover for matte paints

· Material of gloves

Natural rubber, NR

Recommended thickness of the material: ≥ 0.5 mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

For the mixture of chemicals mentioned below the penetration time has to be at least 480 minutes (Permeation according to EN 16523-1:2015: Level 6).

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Tightly sealed goggles

SECTION 9: Physical and chemical properties		
· 9.1 Information on basic physical and chemical properties		
General Information		
· Colour:	Blue	
· Odour:	Fruit-like	
· Odour threshold:	Not determined.	
 Melting point/freezing point: 	Undetermined.	
· Boiling point or initial boiling point and boiling		
range	100 °C	
· Flammability	Not applicable.	
• Lower and upper explosion limit		
· Lower:	Not determined.	
· Upper:	Not determined.	
[·] Flash point:	>100 °C	
· Ignition temperature:	Not determined	
 Decomposition temperature: 	Not determined.	
pH at 20 °C	10.4	
· Viscosity:		
· Kinematic viscosity	Not determined.	
· Dynamic:	Not determined.	
Solubility		
· water:	Fully miscible.	
• Partition coefficient n-octanol/water (log value)	Not determined.	
· Vapour pressure:	Not determined.	
Density and/or relative density		
· Density at 20 °C:	1.046 g/cm ³	
· Relative density	Not determined.	

Page 5/10

(Contd. of page 4)



Safety data sheet according to 1907/2006/EC, Article 31

Page 6/10 Printing date 23.01.2023 Revision: 23.01.2023 Version number 5 (replaces version 4)

Trade name: Stain Remover for matte paints

	(Contd. of page
· Vapour density	Not determined.
9.2 Other information	
· Appearance:	
Form:	Fluid
· Important information on protection of health	
and environment, and on safety.	
Auto-ignition temperature:	Product is not selfigniting.
Explosive properties:	Product does not present an explosion hazard.
Change in condition	
· Evaporation rate	Not determined.
· Information with regard to physical hazard	
classes	
· Explosives	Void
Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
 Self-reactive substances and mixtures 	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammab	ble
gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

• **10.4 Conditions to avoid** No further relevant information available.

• **10.5 Incompatible materials:** No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 7)

– GB —



according to 1907/2006/EC, Article 31

Page 7/10 Printing date 23.01.2023 Revision: 23.01.2023 Version number 5 (replaces version 4)

Trade name: Stain Remover for matte paints

(Contd. of page 6)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

164462-16-2 Reaction mass aus (2S)-Alanin, N,N-bis(carboxymethyl)-, Trinatriumsalz und (2R)-Alanin, N,N-bis(carboxymethyl)-, Trinatriumsalz

Oral LD50 >4,000 mg/kg (rat)

Dermal LD50 >4,000 mg/kg (rat) (OECD-Richtlinie 402)

2-Propylheptanol ethoxylate

Oral LD50 700-1,700 mg/kg (rat)

68891-38-3 Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Oral LD50 >2,000 mg/kg (rat)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation

Causes serious eye irritation.

· Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

 Aquatic toxicity: 68891-38-3 Alcohols, C12-14, ethoxylated, sulfates, sodium salts LC50 (96 h) >1 mg/l (fish) 12.2 Persistence and degradability 164462-16-2 Reaction mass aus (2S)-Alanin, N,N-bis(carboxymethyl)-, Trinatriumsalz und (2R)-Alanin, N,N-bis(carboxymethyl)-, Trinatriumsalz log POW ≤4 (log POW) 12.3 Bioaccumulative potential No further relevant information available. 49.4 M children with here the potential of th

 \cdot 12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

• 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.

(Contd. on page 8)



according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Revision: 23.01.2023 Version number 5 (replaces version 4)

Trade name: Stain Remover for matte paints

(Contd. of page 7)

Page 8/10

- · 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Non contaminated packagings may be treated like household garbage.
- Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according to IN instruments 	IO Not applicable.
· UN "Model Regulation":	Void
	GB —

(Contd. on page 9)



according to 1907/2006/EC, Article 31

Printing date 23.01.2023 Revision: 23.01.2023 Version number 5 (replaces version 4)

Trade name: Stain Remover for matte paints

(Contd. of page 8)

Page 9/10

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** No further relevant information available.
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H290 May be corrosive to metals.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H331 Toxic if inhaled.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H411 Toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH070 Toxic by eye contact.

Department issuing SDS:

Dursol-Fabrik Otto Durst GmbH & Co. KG Martinstraße 22 42655 Solingen Germany Abteilung F&E / Produktsicherheit Contact: labor@autosol.de Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Met. Corr.1: Corrosive to metals - Category 1 Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1



Safety data sheet according to 1907/2006/EC, Article 31

Page 10/10 Printing date 23.01.2023 Revision: 23.01.2023 Version number 5 (replaces version 4)

Trade name: Stain Remover for matte paints

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Acute 1: nazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2 Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3 • * Data compared to the previous version altered.

(Contd. of page 9)

GB —